

| Quality Risk Category: Detail | Priority | Description |
|--|-----------------|--|
| Code coverage: Error handling | 1 | Untested code in specific areas. |
| Code coverage: Importing/exporting | 2 | Untested code in specific areas. |
| Code coverage: General | 5 | Untested code in specific areas. |
| Data flow coverage: Importing | 2 | Untested flows of data between components. |
| Data flow coverage: Exporting | 2 | Untested flows of data between components |
| Data flow coverage: Hyperlinks | 2 | Untested flows of data between components |
| Functionality: File operations | 1 | Risk that the system may not provide this functionality. |
| Functionality: Editing | 1 | Risk that the system may not provide this functionality. |
| Functionality: Printing | 1 | Risk that the system may not provide this functionality. |
| Functionality: Tables, figures, other complex objects | 1 | Risk that the system may not provide this functionality. |

| | | |
|---|---|--|
| Functionality: Formatting | 1 | Risk that the system may not provide this functionality. |
| Functionality: Spelling, thesaurus, grammar, other tools | 1 | Risk that the system may not provide this functionality. |
| Functionality: Help | 1 | Risk that the system may not provide this functionality. |
| User interface: Microsoft Windows 98/Me | 3 | Risk that the user interface may not work properly. |
| User interface: Microsoft Windows NT/2000 | 3 | Risk that the user interface may not work properly. |
| User interface: Solaris OpenWindows (Sun) | 3 | Risk that the user interface may not work properly. |
| User interface: Apple Macintosh | 3 | Risk that the user interface may not work properly. |
| User interface: Linux Gnome | 4 | Risk that the user interface may not work properly. |
| Component interfaces: Toolbar-to-function | 1 | Risk that the given interface pairs don't work together. |
| Component interfaces: Menus-to-function | 1 | Risk that the given interface pairs don't work together. |

| | | |
|---|---|---|
| Component interfaces: Display/preview | 2 | Risk that the given interface pairs don't work together. |
| Component interfaces: Printing | 2 | Risk that the given interface pairs don't work together. |
| Component interfaces: Event handling | 2 | Risk that the given interface pairs don't work together. |
| Capacity and volume: Maximum file length | 3 | Risk that the system will not handle rated capacities and volumes. |
| Capacity and volume: Maximum table size | 3 | Risk that the system will not handle rated capacities and volumes. |
| Capacity and volume: Maximum number of revisions | 3 | Risk that the system will not handle rated capacities and volumes. |
| Error/disaster handling and recovery: Platform crash | 3 | Risk that a particular abnormal but foreseeable problem won't be handled. |
| Error/disaster handling and recovery: Network failure | 3 | Risk that a particular abnormal but foreseeable problem won't be handled. |
| Error/disaster handling and | 3 | Risk that a particular |

| | | |
|--|---|--|
| recovery: File space overflow | | abnormal but foreseeable problem won't be handled. |
| Performance: Microsoft Windows Me/98 | 1 | Risk of insufficient performance in a given environment. |
| Performance: Microsoft Windows NT/2000 | 1 | Risk of insufficient performance in a given environment. |
| Performance: Solaris OpenWindows (Sun) | 1 | Risk of insufficient performance in a given environment. |
| Performance: Apple Macintosh | 1 | Risk of insufficient performance in a given environment. |
| Date handling: Time Zones | 4 | Risk that date math and calculations will be done improperly. |
| Date handling: Leap Years | 4 | Risk that date math and calculations will be done improperly. |
| Localization: Spanish | 2 | Risk of misleading, erroneous, or offensive behavior in particular locale. |
| Localization: French | 2 | Risk of misleading, erroneous, or |

| | | |
|---|---|--|
| | | offensive behavior in particular locale. |
| Localization: German | 2 | Risk of misleading, erroneous, or offensive behavior in particular locale. |
| Localization: Italian | 5 | Risk of misleading, erroneous, or offensive behavior in particular locale. |
| Localization: Chinese | 5 | Risk of misleading, erroneous, or offensive behavior in particular locale. |
| Localization: Japanese | 5 | Risk of misleading, erroneous, or offensive behavior in particular locale. |
| Networked environment: Novell Netware | 5 | Risk of misbehavior in particular network environments. |
| Networked environment: Microsoft Windows NT/2000 | 5 | Risk of misbehavior in particular network environments. |

| | | |
|--|---|---|
| Networked environment: PC NFS | 5 | Risk of misbehavior in particular network environments. |
| Configuration options: Preferences storage/retrieval | 1 | Risk that configurations options will be mishandled or ignored. |
| Configuration options: Available printer selections | 1 | Risk that configurations options will be mishandled or ignored. |
| Standards: Microsoft Windows 98/Me | 1 | Risk that the system will not conform to OS standards. |
| Standards: Microsoft Windows NT/2000 | 3 | Risk that the system will not conform to OS standards. |
| Standards: Sun Solaris | 3 | Risk that the system will not conform to OS standards. |
| Security: Password-protect files | 4 | Risk of unauthorized disclosure, privacy invasions, or denial of service in particular security features. |
| Security: PGP encrypt/decrypt files | 4 | Risk of unauthorized disclosure, privacy invasions, or denial of service in |

| | | |
|---|---|--|
| | | particular security features. |
| Installation, setup, and initial configuration: Microsoft Windows 98/Me | 2 | Risk that the system can't be deployed in a given OS setting. |
| Installation, setup, and initial configuration: Microsoft Windows NT/2000 | 2 | Risk that the system can't be deployed in a given OS setting. |
| Installation, setup, and initial configuration: Solaris OpenWindows (Sun) | 2 | Risk that the system can't be deployed in a given OS setting. |
| Installation, setup, and initial configuration: Apple Macintosh | 2 | Risk that the system can't be deployed in a given OS setting. |
| Documentation: All | 3 | Risk that the documentation will be misleading, erroneous, or offensive. |